



MATERIAL SAFETY DATA SHEET

Page 1 of 4

Sikament 2000 Series

HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	C

1. Product And Company Identification

Supplier

Sika Corporation
201 Polito Ave
Lyndhurst, NJ 07071

Company Contact: EHS Department
Telephone Number: 201-933-8800
FAX Number: 201-933-9379
Web Site: www.sikausa.com

Manufacturer

Sika Corporation
201 Polito Ave
Lyndhurst, NJ 07071

Company Contact: EHS Department
Telephone Number: 201-933-8800
FAX Number: 201-933-9379
Web Site: www.sikausa.com

Supplier Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300
INTERNATIONAL: 703-527-3887

Manufacturer Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300
INTERNATIONAL: 703-527-3887

Issue Date: 08/04/2003

Product Name: Sikament 2000 Series
Chemical Family: Polycarboxylate
MSDS Number: 2797
Product Code: P12754F

2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
AQUEOUS POLYMERSOLUTION TRADE SECRET NJTSRN 02944800-5242p	Trade Secret	
AQUEOUS POLYMERSOLUTION TRADE SECRET NJTSRN 02944800-5271p	Trade Secret	

3. Hazards Identification

Eye Hazards

May cause eye irritation.

Skin Hazards

May cause skin irritation.

Ingestion Hazards

May be harmful if swallowed.

Inhalation Hazards

May cause respiratory tract irritation.

4. First Aid Measures

No Data Available...

Sikament 2000 Series

4. First Aid Measures - Continued

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Ingestion

If swallowed, do not induce vomiting unless directed to do so by medical personnel.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration.

5. Fire Fighting Measures

Fire And Explosion Hazards

This product is an aqueous, non-flammable, solution and will not support combustion.

Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Avoid release to the environment. Use appropriate personal protective equipment (PPE). Contain spill and collect with absorbent material and transfer into suitable containers.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children.

Handling Precautions

Wash thoroughly after handling.

Storage Precautions

Keep containers tightly closed. Protect from direct sunlight and frost at temperatures between 41F (+5C) and 95F (+35C).

Work/Hygienic Practices

Use good personal hygiene. Wash thoroughly with soap and water after handling.

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation.

Eye/Face Protection

Safety glasses with side shields or goggles.

Skin Protection

Chemical-resistant gloves. Lab coat or other work clothing. Launder before reuse.

Respiratory Protection

General room ventilation is normally adequate.

9. Physical And Chemical Properties

Appearance

Yellow to brownish liquid

MATERIAL SAFETY DATA SHEET

Sikament 2000 Series

9. Physical And Chemical Properties - Continued

Appearance - Continued

Chemical Type: Mixture

Physical State: Liquid

Melting Point: N/AV °F

Boiling Point: 212 °F 100 °C

Specific Gravity: 1.05 -1.15

Percent Volatiles: 60% (water)

Packing Density: 8.7 - 9.6 pounds/gallon @20 C

Vapor Pressure: N/AV

Vapor Density: N/AV

pH Factor: 4.0 - 7.0

Solubility: Soluble in water

Viscosity: 150-220 cps @ 20 C

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions To Avoid (Stability)

None known

Incompatible Materials

Strong oxidizing materials, acids, and strong reducing agents.

Hazardous Decomposition Products

None known

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA Information

This product is not a hazardous waste as listed in 40 CFR 261.33. It does not exhibit any of the hazardous characteristics listed in 40 CFR 261, Subpart C.

14. Transport Information

Proper Shipping Name

Not regulated by the USDOT.

15. Regulatory Information

U.S. Regulatory Information

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

MATERIAL SAFETY DATA SHEET

Sikament 2000 Series

15. Regulatory Information - Continued

SARA Hazard Classes

Acute Health Hazard

SARA Section 313 Notification

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

16. Other Information

HMIS Rating

Health: 1

Fire: 0

Reactivity: 0

PPE: C

Revision/Preparer Information

MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 201-933-8800

This MSDS Supercedes A Previous MSDS Dated: 07/28/2003

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

Sika Corporation