

# Safety Data Sheet

## RHEOMAC SF 100

Revision date : 2009/10/14  
Version: 2.0

Page: 1/6  
(30338189/SDS\_GEN\_US/EN)

### 1. Product and Company Identification

Company  
BASF CORPORATION  
100 Campus Drive  
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information  
CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP

### 2. Hazards Identification

#### Emergency overview

CAUTION:  
CONTAINS MATERIAL WHICH CAN CAUSE CANCER.  
MAY BE HARMFUL IF INHALED.  
Can cause moderate irritation due to abrasive action.  
This product can contain a small amount of free respirable Crystalline (quartz) Silica which has been listed as a human carcinogen by NTP (Group 1) and IARC (Reasonably Anticipated to be a Human Carcinogen) and a Suspected Human Carcinogen by ACGIH (category A2).  
Keep container tightly closed.  
Avoid inhalation of dusts.  
Avoid ingestion.  
Avoid contact with the skin, eyes and clothing.  
Wash thoroughly after handling.

State of matter: solid  
Colour: grey  
Odour: odourless

#### Potential health effects

##### **Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

##### **Acute toxicity:**

Ingestion may cause gastrointestinal disturbances.

##### **Irritation / corrosion:**

May cause slight irritation to the eyes. May cause slight irritation to the skin. May cause slight irritation to the respiratory tract. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Potential environmental effects

##### **Aquatic toxicity:**

# Safety Data Sheet

## RHEOMAC SF 100

Revision date : 2009/10/14  
Version: 2.0

Page: 2/6  
(30338189/SDS\_GEN\_US/EN)

At the present state of knowledge, no negative ecological effects are expected. There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from products of a similar structure and composition.

---

### 3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
112945-52-5	60.0 - 100.0 %	Silica
14808-60-7	0.5 - 1.5 %	crystalline silica

---

### 4. First-Aid Measures

**If inhaled:**

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

**If on skin:**

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

**If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

**If swallowed:**

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

---

### 5. Fire-Fighting Measures

**Suitable extinguishing media:**

foam, water spray, dry extinguishing media, carbon dioxide

**Unsuitable extinguishing media for safety reasons:**

water jet

**Hazards during fire-fighting:**

carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

**Protective equipment for fire-fighting:**

Wear a self-contained breathing apparatus.

**Further information:**

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

### 6. Accidental release measures

**Personal precautions:**

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

**Environmental precautions:**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

# Safety Data Sheet

## RHEOMAC SF 100

Revision date : 2009/10/14  
Version: 2.0

Page: 3/6  
(30338189/SDS\_GEN\_US/EN)

### **Cleanup:**

Avoid raising dust.

For small amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

For large amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### **Handling**

#### **General advice:**

Avoid dust formation. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

#### **Protection against fire and explosion:**

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Keep away from sources of ignition - No smoking. Dust can form an explosive mixture with air.

### **Storage**

#### **Storage incompatibility:**

General advice: Segregate from metals. Segregate from acids. Segregate from lyes. Segregate from oxidants. Segregate from foods and animal feeds.

---

## 8. Exposure Controls and Personal Protection

### **Components with workplace control parameters**

crystalline silica	OSHA	TWA value 2.4 millions of particles per cubic foot of air Respirable ; The value is calculated from a specified equation using a value of 100%. Lower values of % will give higher exposure limits. See regulation for specific equation. TWA value 0.1 mg/m3 Respirable ; The value is calculated from a specified equation using a value of 100%. Lower values of % will give higher exposure limits. See regulation for specific equation. TWA value 0.3 mg/m3 Total dust ; The value is calculated from a specified equation using a value of 100%. Lower values of % will give higher exposure limits. See regulation for specific equation.
	ACGIH	TWA value 0.025 mg/m3 Respirable fraction ;

### **Personal protective equipment**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate.

#### **Hand protection:**

Chemical resistant protective gloves, Manufacturer's directions for use should be observed because of great diversity of types.

#### **Eye protection:**

Tightly fitting safety goggles (chemical goggles).

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

# Safety Data Sheet

## RHEOMAC SF 100

Revision date : 2009/10/14  
Version: 2.0

Page: 4/6  
(30338189/SDS\_GEN\_US/EN)

### General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

## 9. Physical and Chemical Properties

Form:	powder	
Odour:	odourless	
Colour:	grey	
Bulk density:	approx. 2,100 - 2,300 kg/m <sup>3</sup>	
Viscosity, dynamic:		not applicable
Solubility in water:		insoluble

## 10. Stability and Reactivity

### Conditions to avoid:

Avoid dust formation.

### Substances to avoid:

strong acids, strong bases, strong oxidizing agents

### Hazardous reactions:

The product is stable if stored and handled as prescribed/indicated.

## 11. Toxicological information

### Irritation / corrosion

*Information on: Silica*

*Assessment of irritating effects:*

*Not irritating to the skin. Not irritating to the eyes.*

*Information on: crystalline silica*

*Assessment of irritating effects:*

*Not irritating to the skin. The product has not been tested. The statement has been derived from products of a similar structure and composition. May cause slight irritation to the eyes.*

### Repeated dose toxicity

*Information on: crystalline silica*

*Assessment of repeated dose toxicity:*

*This product may contain greater than 0.1% crystalline silica. Repeated exposure to high concentrations results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illnesses.*

### Carcinogenicity

*Information on: crystalline silica*

*The International Agency for Research on Cancer (IARC) has classified this substance as a Group 1 (known) human carcinogen.*

# Safety Data Sheet

## RHEOMAC SF 100

Revision date : 2009/10/14  
Version: 2.0

Page: 5/6  
(30338189/SDS\_GEN\_US/EN)

### Other Information:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

---

## 12. Ecological Information

### Other adverse effects:

Ecological data are not available. Do not allow to enter soil, waterways or waste water channels.

---

## 13. Disposal considerations

### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Recommendations: Use excess product in an alternate beneficial application.

### Container disposal:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

#### OSHA hazard category:

IARC 1, 2A or 2B carcinogen; NTP listed carcinogen; Chronic target organ effects reported; OSHA PEL established; ACGIH TLV established

#### EPCRA 311/312 (Hazard categories):

Acute; Chronic

# Safety Data Sheet

## RHEOMAC SF 100

Revision date : 2009/10/14  
Version: 2.0

Page: 6/6  
(30338189/SDS\_GEN\_US/EN)

### State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
MA, NJ, PA	112945-52-5	Silica
MA, NJ, PA	14808-60-7	crystalline silica

### **CA Prop. 65:**

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

---

## 16. Other Information

### **HMIS III rating**

Health: 1 $\frac{1}{2}$       Flammability: 1      Physical hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an on-the-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

BASF supports worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

### **Local Contact Information**

BASF Construction Chemicals  
bcc\_prps@basf.com

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET